



COUNTY OF CHARLESTON



NC 2020 RESURFACING PLAN
November 5, 2020

TABLE OF CONTENTS

<u>DESCRIPTION</u>	<u>SHEET NO.</u>
COVER SHEET.....	1
TABLE OF CONTENTS.....	2
PLAN MAP.....	3
PLAN SHEET.....	4
ROAD LIST BY LOCATION	5
WORK ITEM SUMMARY.....	6-7
STRIP MAPS.....	8-37



NC 2020 Resurfacing Plan Road List By Area

<u>Map#</u>	<u>Street Name</u>	<u>State Route Number</u>	<u>County District</u>
<u>North Charleston</u>			
3	ADONIS AV		5
7	ALAMO ST		3
8	ARANT ST		3
4	BEXLEY ST	672	4
8	CAMDEN ST	812	3
7	COLIE MORSE LN		3
3	CONSTITUTION AV		5
7	CRAWFORD ST		3
5	DEAS HILL LN		4
3	DELLWOOD AV		5
8	DRAPER ST		3
14	EBERLY AV		6
14	ELLER ST		6
14	EXETER ST		6
8	GAFFNEY AV		3
7	HATFIELD ST		3
9	HIGHLAND TERRACE DR	1600	4
7	HYDE AV		3
5	JOHNSON LN		4
11	KENNETH DR		4
10	KIRKPATRICK LN		4
9	LACROSS RD	1600	4
12	MARATHON CT		4
11	MAWOOD AV		4
11	MIDLAND DR		4
6	N ARCO LN		4
5	N JIMTOWN DR		4
14	NANTUCKETT AV		6
15	NORTH PARK BLVD		3
15	NORTH PARK LN		3
14	NOVA CT		6
8	PITTMAN ST		3
2	PROCTOR ST		4
3	RANGER DR	1479	5
11	S KENWOOD DR		4
13	SOUTHRAIL RD		6
11	STAR DR		4
11	TERRACE DR		4
1	TUXBURY LN		3
8	VILLAGE ALY		3
5	W JIMTOWN DR		4

Quantity Sheet


<u>SCDOT Spec</u>	<u>Description</u>	<u>Quantity</u>	<u>Unit</u>
1071000	TRAFFIC CONTROL	1	LS
2023000	REMOVAL & DISPOSAL OF EXISTING PAVEMENT (CONCRETE DRIVEWAY AS DIRECTED) *	1778	SY
2024100	REMOVAL & DISPOSAL OF EXISTING CONCRETE GUTTER *	1105	LF
2027000	REMOVAL & DISPOSAL OF EXISTING CONCRETE SIDEWALK *	2146	SY
2033000	BORROW EXCAVATION (FOR SHOULDERS) *	937	CY
3050199	GRADED AGGREGATE BASE COURSE	20	TONS
3069900	MAINTENANCE STONE*	90	TONS
4011004	LIQUID ASPHALT BINDER PG 64-22	935	TONS
4012040	"FULL DEPTH ASPH. PAV. PATCHING 4"" UNIFORM"	8698	SY
4012040D	FULL DEPTH ASPH. PAV. PATCHING FOR DRIVES 4" UNIFORM	1262	SY
4013150	MILLING EXISTING ASPHALT PAVEMENT 1.5"	33836	SY
4013155	VARIABLE EDGE MILLING 1.5"	6010	SY
4013990	"VARIABLE MILLING EXISTING ASPHALT PAVEMENT FOR KEY-INS	3112	SY
4110320	WARM MIX ASPHALT SURFACE COURSE TYPE B	3178	TON
4112320	WARM MIX ASPHALT INTERMEDIATE COURSE TYPE B	1350	TONS
4113340	WARM MIX ASPHALT SURFACE COURSE TYPE C	10182	TON
4113340D	WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & INTERSECTIONS	2440	TON
4113360	WARM MIX ASPHALT SURFACE COURSE TYPE E	158	TON
6241005	4" WHITE BROKEN LINES(GAPS EXCL.)PERM.PVMT.MARKING	100	LF
6241010	4" WHITE SOLID LINES (PVT. EDGE LINES) PERM.PVMT.MARKING	3112	LF
6241015	8" WHITE SOLID LINES PERM.PVMT.MARKINGS	704	LF
6241020	12" WHITE SOLID LINES - PERM.PVMT.MARKINGS	50	LF
6241023	12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC)PERM.PVMT.MARK	2	LF
6241023A	48IN X 48 IN WHITE YIELD TRIANGLE – PERM.PVMT.MARKING	4	EA
6241025	24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM.PVMT.MARKING	1286	LF
6241030	WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM.PVMT.MARKING	4	EA
6241035	WHITE WORD MESSAGE - ONLY, SLOW, STOP -PERM.PVMT.MARKING	3	EA
6241040	WHITE COMBINATION ARROWS(STR&RT.OR STR<)PERM.PVMT.MARKING	4	EA
6241074	4" YELLOW SOLID LINES(PVT.EDGE LINES) PERM.PVMT.MARKING	46694	LF
6250005	"4"" WHITE BROKEN LINES -(GAPS EXCLUDED) - FAST DRY PAINT**"	100	LF
6250010	"4"" WHITE SOLID LINES (PVT. EDGE LINES) - FAST DRY PAINT"	3112	LF
6250015	"8"" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAST DRY PAINT **"	704	LF
6250020	12" WHITE SOLID LINES - FAST DRY PAINT	50	LF
6250025	"24"" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DRY PAINT"	1286	LF
6250030	"WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT) - FAST DRY	4	EA
6250035	"WHITE WORD MESSAGE - ONLY, SLOW, STOP - FAST DRY PAINT	3	EA
6250040	WHITE COMBINATION ARROW (STR. & RT. OR STR. & LT.) - FAST DRY PAINT	4	EA
6250110	"4"" YELLOW SOLID LINE (PVT. EDGE & NO PASSING) - FAST DRY PAINT"	46694	LF
6251023	48IN X 48 IN WHITE YIELD TRIANGLE FAST DRY	4	EA
6251023A	12IN X 18IN WHITE TRIANG. YIELD BAR (GAPS EXC) FAST DRY PAINT*	2	EA
6301100	"PERMANENT YELLOW PAVEMENT MARKER BI- DIR. - 4""x4"""	183	EA
7141112	15" RC PIPE CULVERT - CLASS III (IN PLACE)*	24	LF
7197110	ADJUST CATCH BASIN (REPAIR C.B. TYPE 1)	3	EA
7197130	ADJUST DROP INLET	10	EA
7203210	CONCRETE CURB AND GUTTER 2'0"	1095	LF
7204100	CONCRETE SIDEWALK (4-IN UNIFORM)*	1439	SY
7204900	DETECTABLE WARNING SURFACE (Cast in place where applicable)	290	SF
7205000	"CONCRETE DRIVEWAY (6"" UNIFORM)"	1731	SY
7209000	PEDESTRIAN RAMP CONTRUCTION	650	SY
8100001	PERMANENT VEGETATION	14.72	MSY

* THESE QUANTITIES ARE NOT SHOWN IN DETAIL BUT ARE INCLUDED TO BE USED AS DIRECTED BY THE ENGINEER

<u>SCDOT Spec</u>	<u>Description</u>	<u>Quantity</u>	<u>Unit</u>
8152004	INLET STRUCTURE FILTER - TYPE F (WEIGHTED)*	50	LF
8152007	SEDIMENT TUBE*	50	LF
8153000	SILT FENCE*	200	LF


* THESE QUANTITIES ARE NOT SHOWN IN DETAIL BUT ARE INCLUDED TO BE USED AS DIRECTED BY THE ENGINEER

MAP 1





0 500 1,000 2,000 Feet

MapNumber	Route	3069900 MAINTENANCE STONE*	4011004 LIQUID ASPHALT BINDER PG 64-22	4013990 "VARIABLE MILLING EXISTING ASPHALT PAVEMENT FOR KEY-INS	4110320 WARM MIX ASPHALT SURFACE COURSE TYPE B	4113340 WARM MIX ASPHALT SURFACE COURSE TYPE C	4113340D WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & I	6241025 24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM_PVMT_MARKI	6250025 "24"" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DR
1	TUXBURY LN	70	7	50	165	1	10	20	20
	Total	70	7	50	165	1	10	20	20



0 500 1,000 2,000 Feet

MAP 3



0 850 1,700 3,400 Feet


MapNumber	Route	2023000	2024100	2027000	2033000	4011004	4012040	4012040D	4013150	4013155	4013990	4113340	4113340D	4113360	6241015	6241025	6241074	6250015	6250025	6250110	6301100	7203210	7204100	7204900	7205000	7209000	8100001		
		REMOVAL & DISPOSAL OF EXISTING PAVEMENT (CONCRETE DRIVE EXISTING CONCRETE GUTTER *	REMOVAL & DISPOSAL OF EXISTING CONCRETE GUTTER *	REMOVAL & DISPOSAL OF EXISTING CONCRETE SIDEWALK *	BORROW EXCAVATION (FOR SHOULDERS) *	LIQUID ASPHALT BINDER PG 64-22	"FULL DEPTH ASPH_PAV_PATCHING 4" UNIFORM"	FULL DEPTH ASPH_PAV_PATCHING FOR DRIVES 4" UNIFORM	MILLING EXISTING ASPHALT PAVEMENT 1_5"	VARIABLE EDGE MILLING 1_5"	"VARIABLE MILLING EXISTING ASPHALT PAVEMENT FOR KEY-INS	WARM MIX ASPHALT SURFACE COURSE TYPE C	WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & I	WARM MIX ASPHALT SURFACE COURSE TYPE E	8" WHITE SOLID LINES PERM_PVMT_MARKINGS	24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM_PVMT_MARKI	4" YELLOW SOLID LINES(PVT_EDGE LINES) PERM_PVMT_MARKING	8" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAS	24" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DR	4" YELLOW SOLID LINE (PVT_EDGE & NO PASSING) - F	PERMANENT YELLOW PAVEMENT MARKER BI- DIR_ - 4"	CONCRETE CURB AND GUTTER 2'0"	CONCRETE SIDEWALK (4-IN UNIFORM)*	DETECTABLE WARNING SURFACE (Cast in place where applica	"CONCRETE DRIVEWAY (6" UNIFORM)"	PEDESTRIAN RAMP CONTRUCTION	PERMANENT VEGETATION		
3	ADONIS AV	0	0	0	54	15	20	10	0	0	0	200	46	0	0	24	0	0	24	0	0	0	0	0	0	0	0	0	0.7
3	CONSTITUTION AV	0	101	100	0	39	95	100	1733	0	200	505	140	0	124	55	1280	124	55	1280	30	101	25	30	0	75	0	0	
3	DELLWOOD AV	150	0	0	54	0	100	0	800	0	0	225	56	30	100	48	0	100	48	0	0	0	0	0	150	0	0	0.7	
3	RANGER DR	0	60	55	0	122	242	255	0	1850	549	1450	593	0	70	80	15872	70	80	15872	0	60	55	0	0	0	0	0	
	Total	150	161	155	108	176	457	365	2533	1850	749	2380	835	30	294	207	17152	294	207	17152	30	161	80	30	150	75	1.32		

MAP 4




0 950 1,900 3,800 Feet

MAP 5






78

26





0 550 1,100 2,200 Feet

MapNumber	Route	2023000 REMOVAL & DISPOSAL OF EXISTING PAVEMENT (CONCRETE DRIVE	4011004 LIQUID ASPHALT BINDER PG 64-22	4012040 "FULL DEPTH ASPH_PAV_PATCHING 4"" UNIFORM"	4012040D FULL DEPTH ASPH_PAV_PATCHING FOR DRIVES 4" UNIFORM	4113340 WARM MIX ASPHALT SURFACE COURSE TYPE C	4113340D WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & I	6241025 24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM_PVMT_MARKI	6250025 "24"" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DR	7205000 "CONCRETE DRIVEWAY (6"" UNIFORM)"
5	DEAS HILL LN	0	6	150	125	100	3	20	20	0
5	JOHNSON LN	0	2	112	67	34	0	11	11	0
5	N JIMTOWN DR	44	8	86	0	118	6	8	8	44
5	W JIMTOWN DR	89	7	134	0	106	6	8	8	89
	Total	133	23	482	192	358	15	47	47	133





MapNumber	Route	2027000 REMOVAL & DISPOSAL OF EXISTING CONCRETE SIDEWALK *	4011004 LIQUID ASPHALT BINDER PG 64-22	4012040 "FULL DEPTH ASPH_PAV_PATCHING 4"" UNIFORM"	4013155 VARIABLE EDGE MILLING 1_5"	4013990 "VARIABLE MILLING EXISTING ASPHALT PAVEMENT FOR KEY-INS	4113340 WARM MIX ASPHALT SURFACE COURSE TYPE C	4113340D WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & I	7204100 CONCRETE SIDEWALK (4-IN UNIFORM)*
6	N ARCO LN	10	37	145	215	580	582	40	20
	Total	10	37	145	215	580	582	40	20

MAP 7





MapNumber	Route	2023000 REMOVAL & DISPOSAL OF EXISTING PAVEMENT (CONCRETE DRIVE	2027000 REMOVAL & DISPOSAL OF EXISTING CONCRETE SIDEWALK *	4011004 LIQUID ASPHALT BINDER PG 64-22	4012040 "FULL DEPTH ASPH_PAV_PATCHING 4'" UNIFORM"	4012040D FULL DEPTH ASPH_PAV_PATCHING FOR DRIVES 4" UNIFORM	4013150 MILLING EXISTING ASPHALT PAVEMENT 1_5"	4013990 "VARIABLE MILLING EXISTING ASPHALT PAVEMENT FOR KEY-INS	4113340 WARM MIX ASPHALT SURFACE COURSE TYPE C	4113340D WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & I	4113360 WARM MIX ASPHALT SURFACE COURSE TYPE E	6241015 8" WHITE SOLID LINES PERM_PVMT_MARKINGS	6241025 24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM_PVMT_MARKI	6250015 "8'" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAS	6250025 "24'" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DR	7204100 CONCRETE SIDEWALK (4-IN UNIFORM)*	7204900 DETECTABLE WARNING SURFACE (Cast in place where applica	7205000 "CONCRETE DRIVEWAY (6'" UNIFORM)"	7209000 PEDESTRIAN RAMP CONSTRUCTION
7	ALAMO ST	30	70	6	25	15	0	440	73	24	0	0	30	0	30	20	20	30	50
7	COLIE MORSE LN	0	23	11	0	60	3000	0	180	0	0	0	34	0	34	0	0	23	0
7	CRAWFORD ST	15	169	13	100	15	2500	0	200	15	0	0	60	0	60	0	50	0	125
7	HATFIELD ST	15	0	7	25	15	0	200	105	3	0	143	45	143	45	0	0	15	0
7	HYDE AV	0	140	46	0	30	0	0	495	191	88	0	45	0	45	40	40	0	100
	Total	60	402	83	150	135	5500	640	1053	233	88	143	214	143	214	60	110	68	275



MapNumber	Route	2023000 REMOVAL & DISPOSAL OF EXISTING PAVEMENT (CONCRETE DRIVE	2027000 REMOVAL & DISPOSAL OF EXISTING CONCRETE SIDEWALK *	2033000 BORROW EXCAVATION (FOR SHOULDERS) *	4011004 LIQUID ASPHALT BINDER PG 64-22	4012040 "FULL DEPTH ASPH_PAV_PATCHING 4"" UNIFORM"	4012040D FULL DEPTH ASPH_PAV_PATCHING FOR DRIVES 4" UNIFORM	4013150 MILLING EXISTING ASPHALT PAVEMENT 1_5"	4013990 "VARIABLE MILLING EXISTING ASPHALT PAVEMENT FOR KEY-INS	4113340 WARM MIX ASPHALT SURFACE COURSE TYPE C	4113340D WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & I	4113360 WARM MIX ASPHALT SURFACE COURSE TYPE E	6241010 4" WHITE SOLID LINES (PVT_EDGE LINES) PERM_PVMT_MARKIN	6241015 8" WHITE SOLID LINES PERM_PVMT_MARKINGS	6241025 24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM_PVMT_MARKI	6250010 "4"" WHITE SOLID LINES (PVT_EDGE LINES) - FAST DRY PAI	6250015 "8"" WHITE SOLID LINES (CROSSWALK & CHANNELIZATION) FAS	6250025 "24"" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DR	6301100 "PERMANENT YELLOW PAVEMENT MARKER BI-DIR_- 4""	7197130 ADJUST DROP INLET	7204100 CONCRETE SIDEWALK (4-IN UNIFORM)*	7204900 DETECTABLE WARNING SURFACE (Cast in place where applica	7205000 "CONCRETE DRIVEWAY (6"" UNIFORM)"	7209000 PEDESTRIAN RAMP CONSTRUCTION
8	ARANT ST	0	50	20	21	280	20	4100	400	225	130	0	800	100	60	800	100	60	0	6	0	20	0	50
8	CAMDEN ST	0	0	0	26	70	35	0	0	246	192	0	0	0	0	0	0	0	20	0	0	0	0	0
8	DRAPER ST	70	0	0	15	250	0	2850	125	215	30	40	0	40	0	0	0	40	0	2	0	0	70	0
8	GAFFNEY AV	0	10	0	4	0	0	0	0	62	0	0	0	0	0	0	0	0	0	0	10	0	0	0
8	PITTMAN ST	0	0	0	27	235	0	0	0	355	94	0	0	0	45	0	0	45	0	0	0	0	0	0
8	VILLAGE ALY	25	0	0	6	80	0	1365	0	103	0	0	0	20	0	0	0	20	0	0	0	0	25	0
	Total	95	60	20	99	915	55	8315	525	1206	446	40	800	100	165	800	100	165	20	8	10	20	95	50



MAP 9



0 1,150 2,300 4,600 Feet

MapNumber	Route	2023000	2033000	4011004	4012040	4012040D	4013155	4013990	4110320	4113340D	6241005	6241025	6241030	6241035	6241074	6250005	6250025	6250030	6250035	6250040	6250110	6301100	7205000	8100001	
9	HIGHLAND TERRACE DR	50	75	43	1000	25	400	75	600	58	50	60	2	1	2	4900	50	60	2	1	2	4900	32	50	1.5
9	LACROSS RD	50	75	43	1000	25	400	75	708	60	0	12	0	0	0	4900	0	12	0	0	0	4900	33	50	1.5
	Total	100	150	86	2000	50	800	150	1308	118	50	72	2	1	2	9800	50	72	2	1	2	9800	65	100	3



MAP 10





MapNumber	Route	2024100 REMOVAL & DISPOSAL OF EXISTING CONCRETE GUTTER *	4011004 LIQUID ASPHALT BINDER PG 64-22	4012040 "FULL DEPTH ASPH_ PAV_ PATCHING 4"" UNIFORM"	4113340 WARM MIX ASPHALT SURFACE COURSE TYPE C	4113340D WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & I	6241025 24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM_PVMT_MARKI	6250025 "24"" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DR	7203210 CONCRETE CURB AND GUTTER 2'0"
10	KIRKPATRICK LN	130	7	398	120	3	36	36	130
	Total	130	7	398	120	3	36	36	130



MapNumber	Route	2023000 REMOVAL & DISPOSAL OF EXISTING PAVEMENT (CONCRETE DRIVE	2033000 BORROW EXCAVATION (FOR SHOULDERS) *	4011004 LIQUID ASPHALT BINDER PG 64-22	4012040 "FULL DEPTH ASPH_PAV_PAVING 4" UNIFORM"	4012040D FULL DEPTH ASPH_PAV_PAVING FOR DRIVES 4" UNIFORM	4013990 "VARIABLE MILLING EXISTING ASPHALT PAVEMENT FOR KEY-INS	4113340 WARM MIX ASPHALT SURFACE COURSE TYPE C	4113340D WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & I	6241025 24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM_PVMT_MARKI	6250025 "24" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DR	6301100 "PERMANENT YELLOW PAVEMENT MARKER BI- DIR_ - 4"	7205000 "CONCRETE DRIVEWAY (6" UNIFORM)"
11	KENNETH DR	250	20	11	350	35	0	175	0	25	25	0	250
11	MAWOOD AV	50	20	12	300	0	0	177	30	30	30	0	50
11	MIDLAND DR	250	25	10	0	20	0	165	0	25	25	12	250
11	S KENWOOD DR	200	40	24	100	0	30	350	55	15	15	0	200
11	STAR DR	50	20	12	50	35	0	161	30	30	30	0	50
11	TERRACE DR	100	20	10	150	40	0	160	3	25	25	0	100
	Total	900	145	79	950	130	30	1188	118	150	150	12	900






MapNumber	Route							
12	MARATHON CT	4	200	800	55	5	20	20
	Total	4	200	800	55	5	20	20
	4011004 LIQUID ASPHALT BINDER PG 64-22							
	4012040 "FULL DEPTH ASPH_PAV_PAVING 4"" UNIFORM"							
	4013150 MILLING EXISTING ASPHALT PAVEMENT 1_5"							
	4113340 WARM MIX ASPHALT SURFACE COURSE TYPE C							
	4113340D WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & I							
	6241025 24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM_PVMT_MARKI							
	6250025 "24"" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DR							




0 1,050 2,100 4,200 Feet

MAP 14



MapNumber	Route	2023000	2024100	2027000	4011004	4012040	4013150	4113340	4113340D	6241023	6241023A	6241025	6250025	6251023	6251023A	7197110	7203210	7204100	7204900	7205000	7209000
		REMOVAL & DISPOSAL OF EXISTING PAVEMENT (CONCRETE DRIVE	REMOVAL & DISPOSAL OF EXISTING CONCRETE GUTTER *	REMOVAL & DISPOSAL OF EXISTING CONCRETE SIDEWALK *	LIQUID ASPHALT BINDER PG 64-22	"FULL DEPTH ASPH_PAV_ PATCHING 4"" UNIFORM"	MILLING EXISTING ASPHALT PAVEMENT 1_5"	WARM MIX ASPHALT SURFACE COURSE TYPE C	WARM MIX ASPHALT SURFACE COURSE TYPE C FOR DRIVES & I	12IN X 18IN WHITE TRIANG_YIELD BAR (GAPS EXC)PERM_PVMT	48IN X 48 IN WHITE YIELD TRIANGLE -- PERM_PVMT_MARKING	24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM_PVMT_MARKI	24"" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DR	48IN X 48 IN WHITE YIELD TRIANGLE FAST DRY	12IN X 18IN WHITE TRIANG_YIELD BAR (GAPS EXC) FAST DR	ADJUST CATCH BASIN (REPAIR C_B_ TYPE 1)	CONCRETE CURB AND GUTTER 2'0"	CONCRETE SIDEWALK (4-IN UNIFORM)*	DETECTABLE WARNING SURFACE (Cast in place where applica	"CONCRETE DRIVEWAY (6"" UNIFORM)"	PEDESTRIAN RAMP CONTRUCTION
14	EBERLY AV	30	10	200	12	100	2600	200	10	0	0	0	0	0	0	0	10	200	20	30	50
14	ELLER ST	15	10	0	4	25	870	64	0	0	0	30	30	0	0	0	10	0	0	15	0
14	EXETER ST	0	30	0	2	15	453	34	0	0	0	12	12	0	0	1	30	0	0	0	0
14	NANTUCKETT AV	90	104	230	41	50	9130	684	0	2	4	90	90	4	2	0	104	109	40	90	120
14	NOVA CT	45	10	0	8	50	1675	126	0	0	0	15	15	0	0	0	0	10	0	45	0
	Total	180	164	430	67	240	14728	1108	10	2	4	147	147	4	2	1	154	319	60	180	170



MapNumber	Route																	
2024100	REMOVAL & DISPOSAL OF EXISTING CONCRETE GUTTER *	530	20	800	2225	330	50	30	2	2	2	50	30	2	2	2	2	530
4011004	LIQUID ASPHALT BINDER PG 64-22	70	5	250	720	90	0	0	0	0	0	0	0	0	0	0	0	70
4012040	"FULL DEPTH ASPH_PAV_PATCHING 4"" UNIFORM"																	
4013155	VARIABLE EDGE MILLING 1_5"																	
4113340	WARM MIX ASPHALT SURFACE COURSE TYPE C																	
6241005	4" WHITE BROKEN LINES(GAPS EXCL_)PERM_PVMT_MARKING																	
6241025	24" WHITE SOLID LINES (STOP/DIAG LINES)-PERM_PVMT_MARKI																	
6241030	WHITE SINGLE ARROWS (LT, STRGHT, RT) PERM_PVMT_MARKING																	
6241035	WHITE WORD MESSAGE - ONLY, SLOW, STOP - PERM_PVMT_MARKIN																	
6241040	WHITE COMBINATION ARROWS(STR&RT_OR STR<)PERM_PVMT_MAR																	
6250005	"4"" WHITE BROKEN LINES - (GAPS EXCLUDED) - FAST DRY PAI																	
6250025	"24"" WHITE SOLID LINES (STOP/DIAGONAL LINES) - FAST DR																	
6250030	"WHITE SINGLE ARROW (LEFT, STRAIGHT, RIGHT) - FAST DRY																	
6250035	"WHITE WORD MESSAGE - ONLY, SLOW, STOP - FAST DRY PAINT																	
6250040	WHITE COMBINATION ARROW (STR_ & RT_ OR STR_ & LT_) -																	
7203210	CONCRETE CURB AND GUTTER 2'0"																	
15	NORTH PARK BLVD	530	20	800	2225	330	50	30	2	2	2	50	30	2	2	2	2	530
15	NORTH PARK LN	70	5	250	720	90	0	0	0	0	0	0	0	0	0	0	0	70
	Total	600	25	1050	2945	420	50	30	2	2	2	50	30	2	2	2	2	600